INSTRUCTIONS TO BIDDERS

Mail or deliver this entire completed bid package in a sealed envelope to be received no later than 2:00 PM on September 13, 2023.

TO: Town of Canton
Chief Administrative Officer's Office
PO Box 168
Collinsville, CT 06022

To be noted on the outside of the envelope:

DO NOT OPEN UNTIL 2:00 PM on September 13, 2023.

Project # 023-PI-06 Deana Roncaioli 2 Spoonwood Drive Canton, CT 06019

Mandatory pre-bid conference on 9:00 AM September 6, 2023

2 Spoonwood Drive Canton, CT 06019

NOTE: CONTRACTOR IS TO SUBMIT THE ENTIRE BID PACKAGE AND ANY ADDENDUM ISSUED. ALL BIDS MUST BE FILLED IN COMPLETELY. IT IS SUGGESTED THAT THE CONTRACTOR RETAIN A COPY OF THE ENTIRE BID PACKAGE.

ALL BIDS SHALL REMAIN IN EFFECT FOR FORTY-FIVE (45) CALENDAR DAYS AFTER THE RECEIPT OF BIDS.

CONTRACTOR'S BUSINESS NAME:	
-----------------------------	--

AN AFFIRMATIVE ACTION/ EQUAL OPPORTUNITY EMPLOYER WBE/ SBE/ MBE & SECTION 3 DESIGNATED BUSINESSES ARE ENCOURAGED TO APPLY

GENERAL CONDITIONS

OWNER: Deana Roncaioli PROJECT: #023-PI-06
ADDRESS: 2 Spoonwood Drive

Canton, CT

- 1. The Contractor, unless otherwise specified, shall provide all labor, materials, tools, equipment, and related items, and pay all necessary taxes, fees, and permits necessary to complete all of his work as detailed on the attached scope of work.
- 2. All rehabilitation, alterations, repairs, or extensions shall be in compliance with all applicable codes of the Municipality. All electrical, heating, and plumbing work shall comply with the rules and regulations of the National, State and Local Codes. Before commencing work, contractors and/or subcontractors shall obtain all necessary permits.
- 3. The Contractor certifies that he has familiarized himself with the requirements of the specifications and plans and understands the extent and character of the work to be done, and inspected the premises and given his full attention to any and all areas with which he might become specifically involved. He must familiarize himself with all conditions relating to and affecting his work and bid.
- 4. The selected Contractor must, prior to contract signing, supply the Town and the Owner with the original certificates of insurance for general liability, auto liability, and worker's compensation, as applicable. General liability insurance shall be a broad form contractual endorsement with minimum limits of one million (\$1,000,000.00) dollars per occurrence for bodily injury and five hundred thousand (\$500,000.00) dollars per occurrence for property damage. Auto Liability insurance shall cover hired and non-hired autos in accordance with State law. Workers' Compensation Insurance shall have a minimum limit of one hundred thousand (\$100,000.00) dollars for each accident. The Contractor shall indemnify and save harmless the Owner and the Town under these policies. The contractor shall name the Owner, the Town, and A&E Services Group, LLC as additional insured as their interests may appear on the General Liability Insurance.
- 5. The selected Contractor is required to have or obtain a Unique Entity ID (UEI) within thirty (30) days of notification of intent to award or forfeit the award. This can be obtained from the SAM.gov website, https://sam.gov.
- 6. The Owner may cancel this contract by _____ and not be liable to the Contractor or the Municipality. Should the Owner opt to cancel they must sign and send the attached cancellation notice, see Attachment A, to the Contractor, otherwise the Owner shall issue a Notice to proceed authorizing the contractor to commence with the proposed improvements. Should the Notice to Proceed not be issued prior to 10 consecutive calendar days from the date of the expiration date of the right to cancel then the Contract will become Null and void.
- 7. The Contractor shall commence work under this contract prior to _____ and complete the work by_____.

- 8. The Contractor and Owner agree that all services offered by the Municipality and A&E Services Group, LLC. (hereinafter referred to as the "Program Manager"), which may affect the Contractor and Owner, are offered to facilitate the project implementation and applicable program compliance. The Contractor and Owner agree to, upon review and acceptance of such services provided, indemnify, defend, save and hold harmless the Municipality and Project Manager, their officers, agents and employees from and against any and all damage, liability, loss, expense, judgment or deficiency of any nature whatsoever (including, without limitation, reasonable attorney's fees and other costs and expenses incident to any suit, action or proceeding) incurred or sustained by Municipality or Project Manager which shall arise out of or result from Project Manager's actions performed in good faith of services pursuant to the Professional Services Contract. The Contractor and Owner agree that the Project Manager shall not be liable to the Contractor or Owner, its heirs, successors or assigns, for any act performed within the duties and scope of employment pursuant to Professional Services Contract.
- 9. All materials shall be new and of acceptable quality to what is specified. The property Owner shall select all colors for materials. All work performed, and materials utilized must be performed and installed in accordance with the applicable manufacturer's latest instructions and specifications. If there is a conflict between the specifications and manufacturer's installation instruction, the manufacturer's installation instructions shall prevail.
- 10. All work shall be neat and accurate and done in a manner in accordance with customary trade practices.
- 11. All manufacturers' warranties are to be extended to the property Owner free and clear of all liens.
- 12. The Contractor shall provide a written warranty and guarantee for labor and materials for a one (1) year period from the date of the Certificate of Completion. This guarantee shall be in addition to and not in limitation of, in lieu of, or modify any other guarantee that is due the property Owner from any manufacturer. See enclosed sample letter of warranty and guarantee.
- 13. The Contractor shall repair or replace all work, materials, and equipment which are found to be defective during the construction and guarantee period. Repair shall include any damage to surrounding work caused by the failure and/or necessary for the repair or replacement of the defect. All repairs and replacements shall be performed at no additional expense to the Owner and shall be completed prior to final payment.
- 14. The Contractor shall be responsible and take all necessary measures and precautions to protect and safe keeping of the surroundings from damage occurring due to the performance of their work. If such damage occurs, it will be repaired by the Contractor at no cost to the Owner. All on-site maintenance relating to the performance of the work shall be the responsibility of the Contractor until the Certificate of Completion is issued. The project shall be maintained in a habitable and safe condition daily if the project is to remain occupied.

- 15. The Contractor shall be responsible to remove and lawfully dispose of all debris resulting from his work in accordance applicable laws and regulations unless otherwise specified.
- 16. The Contractor shall reinstall any accessories removed while performing the work.
- 17. No changes shall be made to the contracts scope of work by either the Owner or Contractor without the written consent of the Project Manager. Any approved change in the scope of work will not commence until a written change order is processed and fully executed by the property Owner, Contractor, and the Program Manager. Any work performed without a fully executed change order may not be eligible for payment.
- 18. The Contractor may request a maximum of ____ progress payments. Payments will be made only for work completed, inspected, and approved by the local authority having jurisdiction over the work, the Owner, and Program Manager. The Contractor's request shall be in the form of an itemized bill, made to the Owner, for the portion of work completed to date. No payment will be made for materials stored on site. Payment requests shall be accompanied by a fully executed Lien Waiver, on a form provided by the Program Manager or other documentation, satisfactory to the Program Manager and Owner. The Contractor shall be responsible for obtaining the signatures and presenting them upon final payment.
- 19. Working hours shall be Monday Friday 8:00 AM 5:00 PM. Unless otherwise agreed to by the Owner. The Owner shall be responsible to make the property available to the Contractor during these hours. If the Owner is not available during these hours, they shall appoint someone to be there as their representative.
- 20. If the Contractor is delayed at any time in the progress of the work by any act or neglect of the Owner, or by changes ordered in the work or by labor disputes, fire, unusual delay in delivery of materials, transportation, adverse weather conditions not reasonably anticipatable, unavoidable casualties, or any causes beyond the Contractor's control, or by delay authorized by the Owner pending dispute resolution or by any other cause which justifies the delay, the contract time shall be extended by Change Order for such reasonable time as may be agreed upon by all parties. It shall be the responsibility of the Contractor to request and document in writing the reasons for such extensions within three (3) calendar days of the occurrence.
- 21. If, through any cause, the Contractor shall fail to fulfill in a timely and proper manner his obligations under this Contract, or if the Contractor shall violate any of the covenants, agreements, or stipulations of this Contract, or if the Contractor does not commence or pursue the work as hereinafter stated within the contract period, then the Owner shall have the right to terminate this agreement and to hire a successor Contractor to perform the remaining work. Any such termination shall be by certified mail to the Contractor to the address noted in this agreement and shall be effective as of the date of mailing.
- 22. In the event of termination payments by the Owner to the original contractor and successor contractor shall be as follows:

- The successor Contractor shall first be paid and then the terminated Contractor. Payments to the terminated Contractor shall be limited to those funds remaining after payment to the successor Contractor but shall not exceed the value of the work performed by the terminated Contractor. Should the total cost for work performed by the successor contractor under this contract exceed the amount stated in this agreement due to the Contractors termination, then the Owner shall have a cause of action against the terminated Contractor for any such additional cost.
- 23. All claims or disputes between the Owner and Contractor arising out of or related to the work shall be resolved by the Program Manager, Town Representative and Local Code Official. It is understood and agreed by the parties hereto that neither party will institute any form of legal action, including, but not limited to, attaching the assets of the other party, unless and until it has made a good faith attempt to have the dispute resolved in accordance with the provisions of this Section. Noncompliance with the conditions precedent constitutes a waiver of the right to assert said claim.
- 24. The Contractor will not discriminate against any employee or applicant for employment because of race, color, creed, religion, sex, sexual preference, national origin, or mental or physical disability during the performance of this agreement. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, in all employment practices such as the following: employment, upgrading, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation and selection for training, including apprenticeship, without regard to their race, color, creed, religion, sex, sexual preference, national origin or mental or physical disability. This provision will be inserted in all subcontracts for work covered by this agreement.
- 25. In the event of the Contractor's noncompliance with this equal opportunity clause or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the Contractor may be declared ineligible for further contracts in accordance with procedures authorized in Presidential Executive Order 11246, or by rule, regulations, or order of the Secretary of Labor or as provided by law.
- 26. Section 3 of the Housing and Urban Development Act of 1968 applies to this contract if the amount of HUD assistance exceeds \$200,000 or the contract or subcontract exceeds \$100,000. The Contractor shall, to the maximum extent feasible, provide opportunities for training and employment in connection with this contract to low income persons residing in the PMSA relevant to the project t location. The Contractor must make a good faith effort to fill any job vacancies and training opportunities with low income persons residing in the PMSA relevant to the project location. Where the preceding applies, contractors must comply with the following Section 3 Clause:
- A. The work to be performed under this contract is subject to the requirements of Section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U.S.C. 1791u (Section 3). The purpose of Section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by Section 3, shall, to the greatest extent feasible, be directed to low- and very low-income persons, particularly persons who are recipients of HUD assistance for housing.

- B. The parties to this contract agree to comply with HUD's regulations in 24 CFR part 135, which implement Section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the part 135 regulations.
- C. The Contractor agrees to send to each labor organization or representative of workers with which the Contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers representative of the Contractor's commitments under this Section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice. The notice shall describe the Section 3 preference shall set for the minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking application for each of the positions; and the anticipated date the work shall begin.
- D. The Contractor agrees to include this Section 3 clause in every subcontract subject to compliance with regulations in 24 CFR part 135, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this Section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR part 135. The Contractor will not subcontract with any subcontractor where the Contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24 CFR part 135.
- E. The Contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the Contractor is selected but before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR part 135 require employment opportunities to be directed, were not filled to circumvent the Contractor's obligations under 24 CFR part 135.
- F. Noncompliance with HUD's regulations in 24 CFR part 135 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.
- The following applies to all contracts of \$10,000.00 or more: SECTION 402 VETERANS OF THE VIETNAM ERA. AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA. The Contractor will not discriminate against any employee or applicant for employment because he or she is a disabled veteran of the Vietnam era in regard to any position for which the employee or applicant for employment is qualified. The Contractor agrees to take affirmative action to employ, advance in employment and otherwise treat qualified disabled veterans and veterans of the Vietnam era without discrimination based upon their disability or veteran status in all employment practices such as the following: employment upgrading, demotion or transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation and selection for training, including apprenticeship. The premises herein shall be occupied during the course of the construction work.
- 28. No officer, employee or member of the Governing Body of the Town shall have any financial interest, direct or indirect, in this contract or the proceeds of this loan.

- 29. The Owner and/or Town retains the right to reject any or all bids or any part of any bid in part or in whole if deemed to be in the best interest of the Owner and/or Town.
- 30. Substitutions of materials from that specified are only allowed on an approved/equal basis. The Contractor must submit written documentation of the substitute item or material for approval by the Owner and Program prior to making such substitution. Any items or material substituted by the Contractor without prior written approval of the Owner and Program will at Contractor's expense be replaced if it is determined not to be equal to the item or material specified. Any surrounding, adjoining, or dependent items affected by replacement of unequal substituted material shall also be replaced, reworked, and reinstalled at no cost to the Owner.
- 31. Bids shall contain prices for general categories of work and/or items as specified on the attached sheets. In the event of a discrepancy between prices listed in the specifications and those on the cost summary sheet, the prices listed on the specification for that section shall prevail. In the case of a mathematical error by the Contractor, the correct sum of the individual line items in the specifications (not in the cost summary) shall be the Contractor's bid.
- 32. All bids shall remain in effect for forty five (45) calendar days.
- 33. The Owner will supply all necessary power required by the Contractor at no additional cost to complete his work. Power shall be limited to the use of existing outlets and shall not exceed the existing capacity of the system. Power required over the capacity of the existing electrical system shall be the responsibility of the Contractor. Heating during construction shall be supplied by the owner.

34. OTHER PROVISIONS - LEAD BASED PAINT

- A. Any and all rehabilitation work under this Agreement will comply with the requirements of the Federal Lead-Based Paint Poisoning Prevention Act (42 U.S.C. 4831) which prohibits the use of lead-based paint in residential structures constructed or rehabilitated with Federal Assistance in any form.
- B. The construction or rehabilitation of residential structures with assistance provided under this contract is subject to the final regulations "Requirements for Notification, Evaluation and Reduction of Lead-Based Paint Hazards in Federally owned Residential Property and Housing Receiving Federal Assistance". The regulation is at 24 CFR Part 35. It implements sections 1012 and 1013 of the Residential Lead-Based Paint Hazard Reduction Act of 1992, Title X, of the Housing and Community Development Act of 1992. Sections 1012 and 1013 amend the Lead-Based Paint Poisoning Prevention Act of 1971.
- C. Provided, however, that the Owner shall have sole responsibility for assuring that his property conforms to the Lead-Based Paint Removal Requirements and the Program shall not assume any liability whatsoever as a result of identifying volatile levels of Lead-Based Paint or its removal except insofar as to comply with applicable environmental regulations.

PUBLIC LAW 91-695 "LEAD-BASED PAINT POISONING PREVENTION ACT"

The Contractor shall adhere strictly to the provisions of the "Lead-Based Paint Poisoning Prevention Act". Specifically, the Contractor will not utilize lead-based paint as a finish or undercoat or any other use in or out of residential dwellings funded in whole and/or part by the Federal Government.

35. The specifications and drawings, if any, are complimentary. Work described in the specifications does not necessarily have to appear on the drawings, nor does work described on the drawings necessarily have to appear in the specifications. The Contractor is responsible for estimating all work whether described in the specifications, the drawings, or both. If there is a discrepancy between the drawings and the specifications, the specifications shall prevail. All work, whether described in the specifications, or the drawings is to be included in the bid summary sheet by appropriate line item. The contract will only be awarded to general Contractor's bidding on ALL line items.

ATTACHMENT A

Notice of Cancellation

I hereby cancel this transaction.

«Date»

You may cancel this transaction without any penalty or obligation, within three business days from the above date.

If you cancel, any property traded in, any payments made by you under the contract or sale, and any negotiable instrument executed by you will be returned within ten business days following receipt by the seller of your cancellation notice, and any security interest out of the transaction will be canceled.

If you cancel, you must make available to the seller at your residence, in substantially as good condition as when received, any goods delivered to you under this contract or sale; or you may, if you wish, comply with the instructions of the seller regarding the return shipment of the goods at the seller's expense and risk. If you do make the goods available to the seller and the seller does not pick them up within twenty days of the date of the cancellation, you may retain or dispose of the goods without any further

obligation. If you fail to make the goods available to the seller, or if you agree to return the goods to the seller and fail to do so, then you remain liable for performance of all obligations under the contract.

To cancel this transaction, mail or deliver a signed and dated copy of this cancellation notice or any other written notice, or send a telegram to «Business_Name» at «Contractor_Address», «Contractor_CityStateZip», not later than midnight of «Contract_Cancel_Date».

Signed				Date	

GENERAL CONSTRUCTION NOTES

- 1. The Contractor shall perform the work to accommodate to the greatest extent reasonable the normal use of the premises by the Owner during the construction period.
- 2. It is the Owners intention to proceed with the dwelling occupied during the entire construction project. Coordinate with the Owner in all construction operations to minimize conflict, and to facilitate the Owner usage of the dwelling, parking, and access to the building. Working hours are Monday Friday, 8:00 AM 5:00 PM unless otherwise agreed to by the Owner.
- 3. The Contractor shall maintain containment within the work area when performing lead-based paint reduction activities as required, until such time as clearance is received.
- 4. The Contractor shall coordinate any and all short-term interruptions or shutdowns with the Owner prior to commencing.
- 5. The Contractor shall take every precaution to ensure the safety of the occupant(s) during all phases of construction. The Contractor shall to the greatest extent reasonable maintain a least one exit for access. Coordinate restrictions and closures with Owner.
- 6. The Contractor shall be responsible for protecting the dwelling and contents from weather and or physical damage during construction.
- 7. The Contractor shall be responsible for any damage caused to the building and or contents caused by lack of said protection to the dwelling or contents until completion of the contract at no additional cost to the Owner.
- 8. The Contactor will be responsible for the movement of the owner's furnishings as required to facilitate the proposed work The Owner is responsible for the movement and safe keeping of valuable personal items and kick-knacks.
- 9. The Contractor shall assume full responsibility for the protection and safekeeping of his materials and products under this Contract stored on the site. The Contractor shall move any stored products under the Contractor's control which interfere with operations of the Owner.
- 10. Plants, shrubs, and lawn areas are to be protected from damage and debris. Repair and/or replacement of all damage to existing landscaping shall be done at no additional cost to the Owner.

Project Meetings

1. The selected Contractor shall attend a contract signing and pre-construction meeting as scheduled by the Owner and Project Manager.

2. The selected Contractor shall attend periodic job meetings during the course of construction, on site, as required.

Product and Execution

- 1. Workers shall be experienced and skillful in performing the work assigned to them.
- 2. Contractor shall verify critical dimensions, operations, and functions in the field before ordering or fabricating items which must fit adjoining construction. The Contractor shall verify all existing conditions and dimensions prior to the work. Any and all discrepancies shall be reported to the Owner and Project Manager prior to ordering any materials or performing the work.
- The Contractor shall follow manufacturer's instructions for assembly, installation, and product adjustment. In the event of conflicting specifications, the specifications of the manufacturer shall prevail.
- 4. The Contractor shall notify the Owner and Project Manager, within 24 hours of discovery, in the event unforeseen circumstances. If the work is deemed additional or extra by the Project Manager then a change order will be negotiated, executed, and authorized by the Contractor, Owner and Project Manager prior to the commencement of the work. Any work performed prior to the execution of a change order may not be considered for payment.
- 5. The specifications do not attempt to detail every task and procedure required to perform the work in full. The Contractor shall perform the work as required to complete the work in a professional manner using customary trade practices and standard work practices.

Removal of Debris and Site Maintenance

- The contractor shall include in their bid the cost of removal of job-related debris and lawful disposal of said debris.
- 2. The Contractor shall coordinate with the Owner for the placement of trash containers, if necessary, prior to the start of demolition.
- 3. The Contractor shall be responsible for the daily clean up and maintenance of the site.
- 4. The Owner shall not place anything in the dumpster without prior approval from the Contractor.

Material Delivery, Storage and Handling

- 1. The Contractor shall determine and comply with manufacturer's recommendation on product handling, storage installation and protection.
- 2. Products shall be delivered to the job site in their manufacturers' original containers, with labels intact and legible. Do not deliver materials to job site until they can be properly protected.
- 3. Maintain packaged materials with seals unbroken and labels intact until time of use.
- 4. The Owner and or Project Manager may reject materials and products which do not bear identification satisfactory to the Owner or Project Manager.

Submittal

The following list of submittals is for the convenience of all parties concerned it is not necessarily a complete list of all submittals required.

- 1. Submit the following before the start of work:
 - a. Copy of building permit.
 - b. Material submittals.
- 2. Submittals before Certificate of Completion and final payment:
 - a. Acceptance of work from local Building Official.
 - b. All warranty and guarantee information.
 - c. Signed and notarized lien waivers from first tier subcontractors and suppliers.

Warranties and Guarantees

Dated

1.	The Contractor shall issue the Owner a written Notice of Guarantee after the date of receipt of Certificate of Completion. Submit to the Owner on letterhead in the following form:
	Name of Project and date.
	I/We, (FIRM NAME), hereby warrant, and guarantee workmanship on labor for the renovations performed at 2 Spoonwood Drive, Canton, CT as per contract signed on for a period of ONE (1) YEAR from the date of the Certificate of Completion.
	Signed

End of Section

ROOFING

General

- 1. Work in this section shall be governed by the Contract Documents. Contractor shall provide all materials, labor, equipment, and services necessary, to perform and complete the work specified herein and or as required by job conditions.
- 2. The Contractor shall maintain the buildings in a weather tight condition throughout the course of construction.

Intent

The intention of this section of the specification includes but not limited to the following:

- 1. Remove and dispose of all roofing materials from the house and garage.
- 2. Remove and salvage for reinstallation, vinyl siding material on house B wall gable to allow for the installation of asphaltic roofing membrane a minimum of 12" up onto gable wall.
- 3. Install asphaltic, architectural, strip type shingles and roofing materials including but not limited to metal rake and drip edging, ice & water shield, shingle underlayment, ridge vents, plumbing boots, and flashings.

References

- 1. ASTM D 224 Standard Specifications for Smooth Surfaces Asphalt Roll Roofing.
- 2. ASTM D226 Standard Specifications for Asphalt Saturated Organic Felt used in Roofing & Waterproofing.
- 3. ASTM D 3018 Standard Specification for Class A Shingles Surfaced with Mineral Granules.
- 4. ASTM 3161 Standard Test Method for Wind Resistance of Asphalt Shingles (Fan Induced Method).
- 5. ASTM 3462 Standard Specification for Asphalt Shingles Made from Glass felt and Surfaced with Mineral Granules.
- 6. ASTM 4586 Standard Specification for Asphalt Roof Cement, Asbestos Free.
- 7. ASTM D4869 Standard Specification for Asphalt Saturated Organic Felt Shingle Underlayment used in roofing.

- 8. ASTM D 6757 Standard Specifications for Inorganic Underlayment for Use with Steep Slope Roofing.
- 9. ASTM E 108 Standard Test Methods for Fire Tests of Roof Coverings.

Materials

- 1. Seam Tape As manufactured by 3M, Scotch or approved equal.
- 2. Rake & Drip Edge White aluminum rake & drip. Drip edge shall be 5" wide.
- 3. Underlayment GAF "Shingle Mate" or approved equal for strip type shingles and GAF "Roof Pro" for SBS roofing application where applicable. Underlayment shall conform to ASTM D226, Type 1 or ASTM D4869 type 1.
- 4. Leak Barrier GAF "Weather Watch" mineral surfaced leak barrier or approved equal. Material shall conform to the requirements of ASTM D 1970. Thickness to be min. 40 mils. Tensile strength MD (lbf/in) minimum 25.
- 5. Starter Strip Shingles shall be Pro Start eave and rake starter strip as manufactured by GAF or approved equal.
- 6. Laminated fiberglass shall be GAF Timberline HD Shingles or approved equal. Shingles shall carry Underwriter's Laboratories labels, UL® 790 Class A Fire Resistance, UL® 997, Wind Resistance and ASTM D3462. Shingles shall be Class A, strip type, self-sealing.
- 7. Membrane Roofing Roofing membrane shall be styrene-butadiene styrene (SBS) membrane roofing. Membrane roofing shall carry Underwriter's Laboratories label. Class A fire resistant, Wind resistant and ASTM. Where applicable.
- 8. Hip and ridge shingles shall be Seal A Ridge, ridge cap shingles as manufactured by GAF or approved equal.
- 9. Ridge Vent GAF "Cobra Ridge Vent or approved equal.
- 10. Fasteners Aluminum or galvanized sharp pointed conventional roofing nails with smooth shanks, minimum 3/8" diameter head and of sufficient length to penetrate 3/4" into solid decking or penetrate through plywood sheathing. Provide 6 nails per full shingle. Staples are not acceptable.
- 11. Roof boots/ Flashing Vents EPDM rubber-aluminum boots.
- 12. Flashing cement trowel grade non asbestos mineral- fibered roofing mastic ASTM D-2822 Type 1 and ASTM D-4586 Type 1, equivalent to Karnak.

13. Step and roll flashing - Aluminum 0.040" thick, color mill finish.

Shingle Removal

- 1. Remove and legally dispose of existing shingles and related roofing materials such as, but not limited to, underlayment, roof vents, plumbing boots, flashing materials, rake and drip edge, and fasteners from all roof sections of the house and garage.
- 2. Contractor shall remove only as much material as can be replaced in a single workday. If additional sections of the roof are removed, then the contractor shall provide tarps or other methods of protecting the structure from water infiltration. Contractor shall be responsible for any water damage to the structure and to owners' property as a result of inadequate protection from the elements.
- 3. Removal work shall be done in a manner and by such means as is necessary to protect the buildings and surrounding areas from damage; to cause minimum interruption to activities; to avoid hazard or injury to persons or property during the entire construction project.

Unit Price #1 \$ _____ / 4 x 8 sheet

Remove existing damaged or rotted decking and install new 1/2" x 4'x8' 4 ply CDX plywood decking. Provide APA exterior exposure plywood. Include all required labor and materials in cost per 4' X 8' sheet. Do not include in base bid. Maximum of 5 sheets allowed at the price stated above.

Siding Removal

- 1. Remove and save for re-installation siding material on house gable B wall.
- 2. Remove enough siding to allow for the installation of asphaltic leak barrier to be installed a minimum of 12" up on gable wall and 12" on roof deck.
- 3. Contractor shall provide photographic evidence of compliance if in-person inspection is not possible.
- 4. Reinstall siding and accessories removed upon completion of roofing. Remove any finger prints.

Preparation of Roof Deck

- 1. Tape all seam on plywood and seal voids in sheathing where vent pipes and or duct work penetrate roof deck.
- 2. Install leak barrier so as to extend a minimum of 24" beyond the face of the heated space,

however no less than two courses along eaves. Install leak barrier to extend over the fascia 1"-1 ½" +/-. Leak barrier is to be installed before perimeter metals.

- 3. Install (18") eighteen-inch-wide strip of ice & water barrier along the rakes. Overlap and seal joints a minimum of 6".
- 4. Install a minimum of 18" x 18" piece of leak barrier around any roof penetrations such as vent, hoods, plumbing stacks etc.
- 5. Install new metal rake and drip edge on all rakes and eaves. Fasten new metal edging every 8" on center using approved fasteners.
- 6. Install roofing underlayment over all roof decks to receive new roofing. Lap each course a minimum of 6" over lower course, and side lapping 4" at all joints.
- 7. Install leak barrier from roof to side walls. Install full width of leak barrier with minimum of 18" on to vertical wall. Coordinate with sidewall shake removal for installation of leak barrier.
- 8. Contractor to provide photographic evidence of underlayment installation and flashing details to Owner & Project Manager. Photos must show roof from ground and above prior to installation of shingles. Failure to provide photo documentation will result in removal of material to verify existence to the satisfaction of the Project Manager and Owner.

Shingle Roofing

- 1. Install shingles per manufacturer's written instructions.
- 2. Install starter course along eaves per manufacturer's written instructions.
- 3. Apply six nails per full shingle. Fasten shingles at or below nailing line. Maintain sixinch (6") clearance from butt end of proceeding course with any fasteners. Install shingles to meet appropriate wind zone requirements per the building code.
- 4. Contractor shall provide one additional unbroken bundle of shingles identical to those installed for the Owners usage in the event of future need.

Flashing

1. Install new 5" x 7" aluminum step flashing at intersection of roof and gable walls as required for water tight installation.

Roof Boots

1. Install EPDM rubber-aluminum roof boots on all plumbing vent pipes as required. Boot shall have soft rubber gasket and be sized to fit existing pipe.

Ridge Vent

- 1. Cut through roof sheathing parallel with ridge down approximately 1" on either side of ridge board.
- 2. Provide and install Cobra-Roll Vent or approved equal. Install ridge vent in accordance with manufacturer's installation instructions.
- 3. Provide and install Hip & Ridge Cap shingles of same color and manufacturer as shingles used on roof. Fasten with appropriately sized galvanized roofing nails.

Gutters Screens

1. Gutters shall be cleaned and metal gutter guard such as Titian Aluminum K-Style gutter guards as manufactured by Amerimax Home Products. installed on all gutters upon completion of roofing work.

End of Section

Cost	2		
COSL	LD.		

WINDOWS

General

1. Work in this section shall be governed by the Contract Documents. Contractor shall provide all materials, labor, equipment, and services necessary, to perform and complete the work specified herein and or as required by job conditions.

Intent

The intention of this section of the specification includes but not limited to the following:

1. Install NEW CONSTRUCTION vinyl windows as specified in opening as listed below.

Manufacturers

- a. Harvey Building Product. Waltham, MA 1-800-598-5400 <u>www.harveybp.com</u> or approved equal.
- b. Mercury Excelum, East Windsor, CT 1-800-292-1802 <u>www.mercuryexcelum.com</u> or approved equal.

Quality Assurance

- 1. Provide window units independently tested and found to be in compliance with ANSI/AAMA/NWWDA 101/I.S.2-97 and current A440-05 performance standards listed above.
- 2. Specified fenestration with the following characteristics:
 - a. U-Factor: Less than or equal to 0.21.
 - b Solar Heat Gain Coefficient: Less than or equal to 0.5.
- 3. Code Compliance: Provide windows that are labeled in compliance with the jurisdiction having authority over the project.
- 4. Energy Star Rated- windows shall carry Energy Star Rating.

Vinyl Replacement Window Features

- 1. Provide and install windows as specified below.
- 2. Replacement windows shall be as double hung windows with contoured colonial 6 over 6 internal grills, (GBG)

- 3. Window frames shall be nominal 0.070 inch (1.8mm) thick polyvinyl chloride (PVC) with miter cut and fusion welded corners. Contoured sash design shall be a nominal 0.070-inch (1.7mm) thickness with fusion welded corners. Color: White.
- 4. Glazing: Low E, 5/8-inch (22mm) nominal thickness, insulated glass units are silicone glazed with an exterior glazing bead.
- 5. Sash Balances: Block and tackle, complying with AAMA-902. Balance cords shall be anchored to locking terminal housings when the sash is tilted in.
- 6. Weather Stripping: In compliance with AAMA 701.2.
- 7. Screens: Full screens, with extruded aluminum frame and 18"x16" charcoal finished fiberglass mesh screening.

Installation

- 1. Remove and salvage existing vinyl siding and accessories for reinstallation upon completion of window installation. Contractor shall replace any material damaged as a result of removal at no additional cost to the owner.
- 2. Remove and lawfully dispose of existing windows and related material.
- 3. Provide and install windows in accordance with manufacturer's installation instructions. Install windows plumb, level and square so as to operate freely and latch securely.
- 4. Infill void with low expansion non VOC insulating foam.
- 5. Apply window tape over flange starting with bottom and over lapping side and head.
- 6. Apply a full bead of caulking around perimeter of interior side of window to gypsum wallboard, tool flush and full.
- 7. Install ¼ x 1 ¼" flat stock for transition to existing gypsum wall board.

Locations & Types

Living Room -

Replace 1 double hung with new on A wall. Replace 1 double hung with new on D wall.

Kitchen

Replace 1 casement window with new on C wall.

1st floor Bath

Replace 1 double hung with new on C wall.

2nd floor bathroom
Replace 1 double hung with new on C wall.

2nd floor back bedroom
Replace 1 double hung with new on C wall.

2nd floor front right bedroom Replace 1 double hung with new on A wall.

2nd floor front left bedroom Replace 1 double hung with new on A wall.

End of Section

Cost <u>\$_____</u>

DOORS

General

Work in this section shall be governed by the Contract Documents. Contractor shall provide all material, labor, equipment, permits, taxes and fees necessary, as required to perform and complete the work specified herein and or as required by job conditions.

Intent

The intent of the proposed work includes but not limited to the following:

1. Replace existing front entry door & storm as specified within.

Entry Door Installation

- 1. Remove existing storm door & entry door including jambs, sill, trim and any other material which would interfere with the installation of new door.
- 2. Contractor shall inspect condition of rough opening and framing and notify owner of any adverse conditions.
- 3. Install new door as specified below. Install door plumb, level and square in rough opening. Shim between jambs and rough opening and fasten with appropriately sized fasteners for rigid installation.
- 4. Install low expansion insulation spray foam between rough opening and new door jamb filling all voids.
- 5. Install pine casings on interior of new doors to match existing. Glue all miters.
- 6. Install .019 thick white aluminum coil stock on exterior brickmold. Install storm doors over aluminum coil stock.
- 7. Install/reinstall locksets as listed in Door Schedule.
- 8. Apply one coat of latex primer to bare wood.
- 9. Apply two coats of semi-gloss latex paint to new doors and trim. Owner choice of colors for doors and trim.

Storm Door Installation

- 1. Remove and recycle to greatest extent possible existing front storm door, frames and related materials.
- 2. Install new storm door in accordance to manufacturers printed installation instructions. Storm door shall be installed over aluminum cladding.
- 3. Install new door plumb, level and square, so as to open freely and latch securely. Fasten to and aligned to prime door.

Door Schedule

Location	Entry Door Manufactures	Size / Swing	Hardware
1st floor Entry	Feather River Fiberglass series	3'0"x6'8" LH	Schlage Flair lever set,
_	Jeld-Wen Fiberglass series		with matching
	Masonite Belleville Smooth Fiberglass series		deadbolt. Keyed alike.
	4 panel with fan lite & peep hole.		Brushed nickel finish
	Entry door jambs shall have rot resistant jambs		
	and composite polycarbonate brick molding.		
Location	Storm Door Manufactures	Size / Swing	Hardware
1 st floor Entry	Larson, Savanah mid view white with	3'0"x6'8"	Brushed nickel.
·	retractable screen. Model # 293 ST		

End of Section

Cost	an .	
LOCT		
CUST	LD.	

COST SUMMARY PAGE

ROOFING	\$
WINDOWS	\$
ENTRY DOOR & STORM	\$
TOTAL	\$

PROPERTY OWNER VERIFICATION

I/we the undersigned Owner(s) acknowledge that I have fully read and understand the attached project specifications. I understand this to be the scope of work and the extent of the renovations to be performed at the property location shown below.

2 Spoonwood Drive, Canton, CT 06019

I understand that any revisions to these specifications changing the scope of work can be made only for unforeseen circumstances. This is for my protection and for providing a clear understanding to the contractor who will provide a quote for the proposed work.

DATE: 8/29/2023 OWNER: Deana J. Roncaioli

Deana J. Roncaioli

I, the undersigned agree to provide all labor, material, permits, taxes, insurance, equipment, and related fees, necessary to complete the work as specified above for the property located at:

2 Spoonwood Drive, Canton, CT 060199

All work will be performed in accordance to applicable codes. ***********************************							
4. I commit to su companies are of contract.	bcontract at least 25% of the total value of defined above, and to provide the necessary	f this contract to Section 3 subcontractors, as these ary evidence to substantiate this, prior to the award					
Company Name:							
Address:		:					
Phone:	Email:	CT Consumer Protection #					
EIN or SSN#:	EUI#	CAGE #					
Date:	Print Name:						
	Signature:						
Total Bid Amount: \$							
Amount Written:(This in:	formation must be submitted in order to ha	ive your bid considered responsive)					

	<i>ন</i>		